


FENDER Stainless



STAINLESS FENDER WASHERS

Size	Inside Diam. (± .010)	Outside Diameter		Thickness		Size	Inside Diam. (± .010)	Outside Diameter		Thickness	
		Max	Min	Max	Min			Max	Min	Max	Min
		10 x 11/16	.219	.698	0.678			.080	.051	3/8 x 1-1/4	.410
10 x 7/8	.219	.885	0.865	.080	.051	3/8 x 1-1/2	.410	1.529	1.492	.080	.051
10 x 1	.223	1.018	0.992	.080	.051	3/8 x 1-3/4	.410 or .422	1.779	1.742	.080	.051
10 x 1-1/4	.223	1.279	1.242	.080	.051	3/8 x 2	.410 or .422	2.029	1.992	.080	.051
10 x 1-1/2	.223	1.529	1.492	.080	.051	1/2 x 1-1/2	.535	1.529	1.492	.080	.051
1/4 x 1	.285	1.029	0.992	.080	.051	1/2 x 1-3/4	.535	1.779	1.742	.080	.051
1/4 x 1-1/4	.285	1.279	1.242	.080	.051	1/2 x 2	.535	2.029	1.992	.080	.051
1/4 x 1-1/2	.285	1.529	1.492	.080	.051	1/2 x 2-1/2	.535	2.529	2.492	.080	.051
1/4 x 2	.285	2.029	1.992	.080	.051	5/8 x 2	.688	2.010	1.990	.080	.051
5/16 x 1-1/4	.348	1.279	1.242	.080	.051	3/4 x 2	.812	2.015	1.985	.080	.051
5/16 x 1-1/2	.348	1.529	1.492	.080	.051	7/8 x 2-1/2	.938	2.515	2.485	.118	.101
5/16 x 2	.348	2.029	1.092	.080	.051						

Description	A flat washer with significantly more surface area than a USS or SAE washer. They are also made from a thinner gauge metal than most flat washers.
Applications/ Advantages	Used where an extra wide bearing surface and resistance to corrosion are required.
Material	<i>Stainless</i> 18-8 or 316 Stainless steel
Plating	Parts are usually supplied plain, but some sizes are available with a black oxide finish.